LIKO-S.COM



Silen Space 1



Silen Space 1.5



Silen Space 2



Silen Space 4



Silen Space Max



silen
Authorized dealer

silen SPACE


LIKO-S

Silen Space 1

Personal escape pod

When you need focus on a call, office noise doesn't help. And your call can distract others nearby. Escape to the pod for silence and privacy.

1 person



c UL us LISTED

CE

Ultimate two-way privacy
Market-leading in performance. Blocks 41 dB outside noise, 30 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.

Comfortable
Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Movable
Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.

Spacious
Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.

Endless customization
Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

Sustainable
Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

Interior colour

Standard colours

- Light Grey
- Dark Grey
- Black
- Sand / Dark Grey

Exterior colour


Standard colours*


- White
- Grey
- Black


Additional colours for extra fee


Textile sides Camira Quest

silen SPACE


110 cm / 43 in
229 cm / 90 in
RIGHT VIEW
84 cm / 33 in
110 cm / 43 in
229 cm / 90 in
FRONT VIEW
110 cm / 43 in
229 cm / 90 in
REAR VIEW


AIR FLOW INTAKE
SILENT FANS
LED LIGHTS
ECHOFREE ACOUSTIC PANELS
POWER OUTLET
WHITEBOARD
SOUND CONTROL SAFETY CLASS
ALUMINIUM PROFILES
CARPET
AIR FLOW OUT


TOP VIEW
110 cm / 43 in
110 cm / 43 in
82 cm / 32 in


MINIMAL SPACE BETWEEN POD AND CEILING
10 cm / 4 in
SPACE BETWEEN
FLOOR AND POD
2 cm / 0.8 in

Space 1 technical specification

GENERAL PRODUCT INFO	
Exterior size (W×D×H)	110 × 110 × 229 cm / 43 × 43 × 90 in
Interior size (W×D×H)	90 × 101 × 205 cm / 35 × 40 × 81 in
Weight (net)	370 kg / 816 lb
Weight with crate	500 kg / 1102 lb
Exterior	**Side panels:** Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. **Front and back trims:** Covered with medical-grade antibacterial laminate. Fixed with magnets and easily exchangeable.
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB
Walls/structure	EchoFree panel – sandwich element and structure of FSC™ birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Roof	EchoFree panel – sandwich element of birch plywood and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B_{fl}–s1
Door handedness	Right- or left-handed door
Furniture	Optional. Different sets are available
Air ventilation	Low energy-consumption automatic air circulation system (stand by 1,7 W; in operation 3,4 W). Air circulation speed is at least 27 l/s
Electrical connections	Black socket with 110–240 V (10 A) + USB-A+C
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
Lighting	3000K or 4000K automatic LED lightning (6,7 W, 900 lm). Low consumption, energy-efficient
Casters	For moving during installation and easy relocation. Hidden. Can be activated any time.
Adjustable legs	For levelling. Levelling from inside the booth

CERTIFICATION	
Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	30,1 dB / Class A according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	40 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	41 dB according to ASTM E90, measured on site by an accredited specialist

Space 1 extra features



Self-closing door hinges



Retractable coat/bag hook



Control panel



Sprinkler prep



Seismic kit



Occupancy light

EXTRA FEATURE	
Self-closing door hinges	
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolts

silen SPACE

LIKO-S

Silen Space 1.5

Private orbit with room to spare

Even team players need time and space to dive deep on their own. That's when insights and discoveries happen. This spacious privacy pod reduces the world to a whisper, so your mind can focus for hours on end.

1 person



c UL us LISTED

CE

Ultimate two-way privacy
Market-leading in performance. Blocks 41 dB outside noise, 30 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.

Comfortable
Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Movable
Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.

Spacious
Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.

Endless customization
Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

Sustainable
Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

Interior colour

Standard colours

- Light Grey
- Dark Grey
- Black
- Sand / Dark Grey

Exterior colour

Standard colours*


- White
- Grey
- Black

Additional colours for extra fee


Textile sides Camira Quest

silen SPACE


Silen Space 1.5




RIGHT VIEW




FRONT VIEW




REAR VIEW



TOP VIEW



MINIMAL SPACE BETWEEN POD AND CEILING



Space 1.5 technical specification

GENERAL PRODUCT INFO	
Exterior size (W×D×H)	145 × 110 × 229 cm / 57 × 43 × 90 in
Interior size (W×D×H)	125 × 101 × 205 cm / 49 × 40 × 81 in
Weight (net)	428 kg / 944 lb
Weight with crate	555 kg / 1224 lb
Exterior	**Side panels:** Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. **Front and back trims:** Covered with medical-grade antibacterial laminate. Fixed with magnets and easily exchangeable.
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB
Walls/structure	EchoFree panel – sandwich element and structure of FSC™ birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Roof	EchoFree panel – sandwich element of birch plywood and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B_{fl}-s1
Door handedness	Right-handed door
Furniture	Optional. Different sets are available
Air ventilation	Low energy-consumption automatic air circulation system (stand by 3,4W; in operation 6,8W). Air circulation speed is at least 50 l/s
Electrical connections	Black socket with 110-240 V (10 A) + USB-A+C
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
Lighting	3000K or 4000K automatic LED lightning (13,4 W, 1800 lm). Low consumption, energy-efficient
Casters	For moving during installation and easy relocation. Hidden. Can be activated any time.
Adjustable legs	For levelling. Levelling from inside the booth

CERTIFICATION	
Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	30,1 dB / Class A according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	40 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	41 dB according to ASTM E90, measured on site by an accredited specialist

Space 1.5 extra features



Self-closing door hinges



Retractable coat/bag hook



Control panel



Sprinkler prep



Seismic kit



Occupancy light

EXTRA FEATURE	
Self-closing door hinges	
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolts

silen SPACE

LIKO-S

Silen Space 2

Collaboration space for allies

This stylish pod filters out the world, its noise and distractions. Comfortable for two (but fits four for shorter meetings), shared purpose turns into real focus here. Meet, create, and collaborate.

1–4 people



c UL us LISTED

CE

Ultimate two-way privacy
Market-leading in performance. Blocks 43 dB outside noise, 30 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.

Comfortable
Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Movable
Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.

Spacious
Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.

Endless customization
Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

Modularity
The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.

Sustainable
Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

Interior colour

Standard colours

- Light Grey
- Dark Grey
- Black
- Sand / Dark Grey


Exterior colour


Standard colours*


- White
- Grey
- Black


Additional colours for extra fee

Textile sides Camira Quest


122 cm / 48 in
229 cm / 90 in
RIGHT VIEW
79 cm / 31 in
240 cm / 94 in
229 cm / 90 in
FRONT VIEW
240 cm / 94 in
229 cm / 90 in
REAR VIEW


AIR FLOW INTAKE
SILENT FANS
LED LIGHTS
ECHOFREE ACOUSTIC PANELS
POWER OUTLET
SOUND CONTROL SAFETY CLASS
ALUMINIUM PROFILES
CARPET
AIR FLOW OUT


TOP VIEW
240 cm / 94 in
122 cm / 48 in
82 cm / 32 in


MINIMAL SPACE BETWEEN POD AND CEILING
10 cm / 4 in
SPACE BETWEEN
FLOOR AND POD
2 cm / 0.8 in

Space 2 technical specification

GENERAL PRODUCT INFO	
Exterior size (W×D×H)	240 × 122 × 229 cm / 94 × 48 × 90 in
Interior size (W×D×H)	220 × 116 × 205 cm / 87 × 46 × 81 in
Weight (net)	670 kg / 1477 lb
Weight with crate	800 kg / 1764 lb
Exterior	**Side panels:** Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. **Front and back trims:** Covered with medical-grade antibacterial laminate. Fixed with magnets and easily exchangeable.
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB
Walls/structure	EchoFree panel – sandwich element and structure of FSC™ birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Roof	EchoFree panel – sandwich element of birch plywood and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B_{fl}-s1
Door handedness	Right- or left-handed door. Door handedness can be chosen
Furniture	Optional. Different sets are available
Air ventilation	Low energy-consumption automatic air circulation system (stand by 3,4W; in operation 6,8W). Air circulation speed is at least 85 l/s
Electrical connections	Option one: 2 x 110-240 V (10 A) Option two: 110-240 V (10 A) + USB-A+C
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
Lighting	3000K or 4000K automatic LED lightning (28 W, 3000 lm). Low consumption, energy-efficient
Casters	For moving during installation and easy relocation. Hidden. Can be activated any time.
Adjustable legs	For levelling. Levelling from inside the booth

CERTIFICATION	
Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	30,4 dB / Class A according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	43 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	43 dB according to ASTM E90, measured on site by an accredited specialist

Space 2 extra features



Self-closing door hinges



Additional power outlet Pluto under the table



Additional power outlet Desk2 on the table



Additional power outlet Slim on the table (US)




Retractable coat/bag hook



Control panel



Occupancy light



Screen bracket on back glass



Seismic kit



Sprinkler prep

EXTRA FEATURE	
Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolts

silen SPACE

LIKO-S

Silen Space 4

Stellar pasture for potent ideas

When important meetings, sessions, and discussions routinely involve up to eight people, this is the room-sized pod you want. Nothing leaks out, nothing seeps in.



1–8 people

c UL us LISTED

CE

Ultimate two-way privacy
Market-leading in performance. Blocks 41 dB outside noise, 32 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.

Comfortable
Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Movable
Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.

Spacious
Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.

Endless customization
Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

Modularity
The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.

Sustainable
Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

Interior colour

Standard colours

- Light Grey
- Dark Grey
- Black
- Sand / Dark Grey


Exterior colour


Standard colours*


- White
- Grey
- Black


Additional colours for extra fee

Textile sides Camira Quest


242 cm / 95 in
229 cm / 90 in
RIGHT VIEW
79 cm / 31 in
240 cm / 94 in
FRONT VIEW
240 cm / 94 in
REAR VIEW


AIR FLOW INTAKE
SILENT FANS
LED LIGHTS
ECHOFREE ACOUSTIC PANELS
POWER OUTLET
SOUND CONTROL SAFETY CLASS
ALUMINIUM PROFILES
CARPET
AIR FLOW OUT


TOP VIEW
242 cm / 95 in
82 cm / 32 in
240 cm / 94 in


MINIMAL SPACE BETWEEN POD AND CEILING
10 cm / 4 in
SPACE BETWEEN FLOOR AND POD
2 cm / 0.8 in

Space 4 technical specification

GENERAL PRODUCT INFO	
Exterior size (W×D×H)	240 × 242 × 229 cm / 94 × 95 × 90 in
Interior size (W×D×H)	220 × 236 × 205 cm / 87 × 93 × 81 in
Weight (net)	1200 kg / 2646 lb
Weight with crate	1460 kg / 3219 lb
Exterior	**Side panels:** Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. **Front and back trims:** Covered with medical-grade antibacterial laminate. Fixed with magnets and easily exchangeable.
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB
Walls/structure	EchoFree panel – sandwich element and structure of FSC™ birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Roof	EchoFree panel – sandwich element of birch plywood and acoustic felt. Sound insulation STC 45 dB. Acoustic absorption class A
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B_{fl}–s1
Door handedness	Right- or left-handed door. Door handedness can be chosen
Furniture	Optional. Different sets are available
Air ventilation	Low energy-consumption automatic air circulation system (stand by 6,8W; in operation 13,6W). Air circulation speed is at least 125 l/s
Electrical connections	Option one: 4 x 110–240 V (10 A) Option two: 2 x 110–240 V (10 A) + 2 x USB-A+C
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
Lighting	3000K or 4000K automatic LED lightning (2 x 28 W, 2 x 3000 lm). Low consumption, energy-efficient
Casters	For moving during installation and easy relocation. Hidden. Can be activated any time.
Adjustable legs	For levelling. Levelling from inside the booth

CERTIFICATION	
Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	31,9 dB / Class A according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	41 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	41 dB according to ASTM E90, measured on site by an accredited specialist

Space 4 extra features



Self-closing door hinges



Additional power outlet Pluto under the table



Additional power outlet Desk2 on the table



Additional power outlet Slim on the table (US)




Retractable coat/bag hook



Control panel



Occupancy light



Screen bracket on back glass



Seismic kit



Sprinkler prep

EXTRA FEATURE	
Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolts

silen SPACE

LIKO-S

Silen Space Max

Big teams, deep missions

From focused planning and brainstorming sessions to a war room where team leads can tackle a crisis, it's big in here. In another life, this pod could be a loft.



1–8 people

c UL us LISTED

CERTIFIED INDOOR AIR QUALITY

CE

Ultimate two-way privacy
Market-leading in performance. Blocks 41 dB outside noise, 31 dB (Class A) inside speech. Office-tested, ISO-approved in the laboratory.

Comfortable
Ergonomic, quiet, echo-free, and speech-optimized. Automated LEDs and ventilation. Over twice the standard airflow rate.

Movable
Hidden wheels allow effortless relocation in the office. Prefabricated design offers easy disassembly and reassembly when moving.

Spacious
Ample space to sit, stretch, stand, and move around. Available with furniture of your choice.

Endless customization
Swap side skins and cover trims with a snap of a magnet. Choose from a variety of colors, fabrics, and furnishing options.

Modularity
The modular design enables changing the pod size whenever needed. Add modules to create bigger spaces or split larger pods into smaller spaces.

Sustainable
Fully renewable with a 20+ year lifespan. Designed sustainably across materials, production, and impact on surrounding environments.

Interior colour

Standard colours

- Light Grey
- Dark Grey
- Black
- Sand / Dark Grey

Exterior colour

Standard colours*


- White
- Grey
- Black


Additional colours for extra fee


Textile sides Camira Quest


silen SPACE

Silen Space Max









Space Max technical specification

GENERAL PRODUCT INFO	
Exterior size (W×D×H)	280 × 242 × 229 cm / 110 × 95 × 90 in
Interior size (W×D×H)	260 × 236 × 205 cm / 102 × 93 × 81 in
Weight (net)	1500 kg / 3307 lb
Weight with crate	1760 kg / 3880 lb
Exterior	**Side panels:** Metal sheet with sand-structured powder coating. Fixed with magnets and easily exchangeable. **Front and back trims:** Covered with medical-grade antibacterial laminate. Fixed with magnets and easily exchangeable.
Glass	Sound Control laminated safety glass. Sound insulation STC 40 dB
Walls/structure	EchoFree panel – sandwich element and structure of FSC™ birch plywood, ecological foam and acoustic felt. Sound insulation STC 49 dB. Acoustic absorption class A
Roof	EchoFree panel – sandwich element of birch plywood and acoustic felt. Sound insulation STC 45 dB. Acoustic absorption class A
Floor	Sandwich element of birch plywood, acoustic wool. Acoustic absorption Class B
Carpet	Antistatic and stain resistant low loop pile carpet for public spaces, EN 1307. Flammability B_{fl}–s1
Door handedness	Right- or left-handed door. Door handedness must be chosen. Option for having two doors on front and back.
Furniture	Optional. Different sets are available
Air ventilation	Low energy-consumption automatic air circulation system (stand by 6,8W; in operation 17W). Air circulation speed is at least 155 l/s
Electrical connections	Option one: 3 x 110–240 V (10 A) Option two: 2x 110–240 V (10 A) + USB-A+C Other power and data options available upon request
Power cord	5m long cord with plug type depending on the region. Connection either from the top or bottom of the pod, can be chosen during installation.
Lighting	3000K or 4000K automatic LED lightning (28 W, 3000 lm). Low consumption, energy-efficient
Casters	For moving during installation and easy relocation. Hidden. Can be activated any time.
Adjustable legs	For levelling. Levelling from inside the booth

CERTIFICATION	
Product safety	UL962 Listed
Electrical safety	CE-mark / UL962 Listed
Fire safety	Class A according to UL 723, ASTM E84, ASTM E162 (walls and ceiling)
Emissions	Indoor Advantage™ Gold certified by SCS Global Services
Speech level reduction	31,1 dB / Class A according to ISO 23351-1, measured in accredited lab
Airborne sound insulation R'w	41 dB according to ISO 16283-1 and ISO 717-1, measured on site by an accredited specialist
Sound transmission class STC	41 dB according to ASTM E90, measured on site by an accredited specialist

Space Max extra features



Self-closing door hinges



Additional power outlet Pluto under the table



Additional power outlet Desk2 on the table



Additional power outlet Slim on the table (US)




Retractable coat/bag hook



Air flow and lighting dimmer



Occupancy light



Screen bracket on back glass



Sprinkler prep

EXTRA FEATURE	
Self-closing door hinges	
Additional power outlet Pluto under the table	
Additional power outlet Desk2 on the table	On table top. 2 X 230 V, 1 X USB-A, 1 X USB-C
Additional power outlet Slim on the table (us)	US only. 3 x 120V, 2 x USB-A
Power outlet under sofa	(1 x 230V / USB A/C) Additional information.
LAN/RJ45/HDMI connections	
Control panel	Airflow dimmer, light brightness dimmer, light temperature selection and controls for optional extras (face light, smart glass etc.)
Occupancy light	
Screen bracket on back glass	
Screen bracket on side wall	
Frosted film on glass	
Retractable coat/bag hook	
Sprinkler prep	Knockout with a tube inside. The ceiling module for housing a sprinkler. Does not include a sprinkler. Sprinkler needs to be installed by a certified company.
Seismic kit	Brackets to mount the floor module to the existing floor with anchor bolts
Extra door	

silen SPACE

Options for surfaces

Standard colours




Snow White | Black | Silver Grey

Veneer



Oak Veneer | Dark Oak Veneer

Extra colours




Cotton | Basalt | Coal | Bambus | Mint | Jade | Opal | Eden | Marshmallow




Myosotis | Paprika | Mango | Indian Summer | Hot Pepper | Azurite | Blue Tiber | Storm Gray | Frozen Blue

Standard wall and ceiling



Light gray | Dark gray | Black | Sand

Standard floor



Light gray | Dark gray | Black

Standard profiles



White | Anodized gray | Black

Textile sides (Camira Quest)*



Depth | Fossil | Barnacle | Mussel | Quartz | Shell | Ripple | Whelk | Limpet

Rock Pool | Wave | Tide | Sea Grass | Algae | Kelp | Sea Foam | Urchin | Abalone

Driftwood | Sandstone | Beach Comber | Salt | Cockle | Crab | Clay | Shrimp | Pebble

* Only for Silen Dynamics Generation

Fully upcycled Furniture textiles with 70% marine plastic content

silen SPACE

Silen Space furniture sets

Silen Space 1

Gagarin

- Antibacterial tabletop
- Fully integrated and adjustable stool



Houston

- Screen bracket with V/C readiness
- Dimmable face lights for video calls
- Antibacterial tabletop
- HAY Revolver or integrated stool



Silen Space 1.5

Sirius

- Fixed height table
- Antibacterial white tabletop
- Ergonomic sofa with armrest



Apollo

- Electrically adjustable table
- Antibacterial white tabletop
- Your own favorite chair



silen SPACE

Silen Space furniture sets

Silen Space 2

Lunar Eclipse

- Comfort-focused low-back sofas
- Integrated table with antibacterial tabletop

Solar Eclipse

- Designer-friendly high-back sofas
- Movable laptop tables (2 pcs)





Silen Space 4

Lunar Eclipse

- Comfort-focused low-back sofas
- Integrated table with antibacterial tabletop

Solar Eclipse

- Designer-friendly high-back sofas
- Movable laptop tables (4 pcs)





silen SPACE

Silen Space furniture sets

Silen Space Max

Galaxy

- Whiteboard with screen bracket
- Storage unit
- L-shaped sofa
- Movable laptop tables (2 pcs)



Supernova

- Whiteboard with screen bracket
- Extra door
- Integrated meeting table



silen | LIKO-S

LIKO-S.COM

silen
Authorized dealer